

# SAFETY DATA SHEET



Date Prepared : 09/22/2015

MSDS No : XT F

## Luxcare XT Protection Fabric Sealant

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Luxcare XT Protection Fabric Sealant

**GENERAL USE:** Automotive fabric and carpet protector

**CHEMICAL FAMILY:** Mixture

**MANUFACTURER**

Cal-Tex Protective Coatings, Inc.

7455 Natural Bridge Caverns Rd.

Schertz, TX 78154

**Customer Service:** 210-564-3200

**24 HR. EMERGENCY TELEPHONE NUMBERS**

INFOTRAC (US Transportation): 800-535-5053

Poison Control Center (Medical): 877-800-5553

### 2. HAZARDS IDENTIFICATION

**GHS CLASSIFICATIONS**

Not classified.

**GHS LABEL**

This product is not considered hazardous under the OSHA Hazard Communication Standard (HCS 2012)

**PRECAUTIONARY STATEMENT(S)**

**Prevention:**

9470YS4V: Observe good industrial hygiene practices.

**Response:**

6458G8LP: Wash hands thoroughly after handling.

**Storage:**

P233: Keep container tightly closed.

**Disposal:**

3912LZZT: Dispose of contents/container in accordance with local, state and federal regulations.

**EMERGENCY OVERVIEW**

**IMMEDIATE CONCERNS:** May cause eye and skin irritation.

**POTENTIAL HEALTH EFFECTS**

**EYES:** Direct contact or exposure of liquid or mist may cause irritation, swelling, tearing, redness, itching or burning.

**SKIN:** Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**INGESTION:** Ingestion or large amounts may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**INHALATION:** Short term inhalation of vapor or mist is not likely to cause harmful effects. Breathing large amounts of vapor or mist may cause irritation of the nose, throat or respiratory tract. Breathing large amounts of vapor or mist may result in pneumonia or pulmonary edema.

Luxcare XT Protection Fabric Sealant

**MEDICAL CONDITIONS AGGRAVATED:** Dermatitis may be aggravated by excessive exposure to skin.

**ROUTES OF ENTRY:** Include skin contact, eye contact, inhalation and ingestion.

**SENSITIZATION:** None Expected.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

The product contains no ingredients classified as hazardous according to the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**SKIN:** Flush affected area with water. If irritation persists, get medical attention. Wash contaminated clothing before reuse.

**INGESTION:** If swallowed, do NOT induce vomiting, give several glasses of water - get medical attention/advice if you feel unwell.

**INHALATION:** Move to fresh air. Call a physician if symptoms develop or persist.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** May include redness, swelling, pain, tearing, and blurred or hazy vision.

**SKIN:** May include localized redness, swelling, and itching.

**INGESTION:** May include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**INHALATION:** May include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

### 5. FIRE FIGHTING MEASURES

**FLAMMABLE CLASS:** Not yet Determined

**EXTINGUISHING MEDIA:** Water, water fog, foam, dry chemical power, carbon dioxide (CO<sub>2</sub>).

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon monoxide, carbon dioxide, silicone dioxide and traces of other toxic substances cannot be excluded.

**FIRE FIGHTING PROCEDURES:** Avoid flow of material into drains. Use a water spray to cool fire-exposed containers. Do not enter any enclosed or confined space without proper PPE.

**FIRE FIGHTING EQUIPMENT:** Firefighters should wear self contained breathing apparatus as some toxic decomposition products may result from fire conditions.

### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Clean up liquid with papertowel.

**LARGE SPILL:** Confine spill by diking or impoundment. Clean up spill by absorbing with an inert material such as sand, soil, sawdust, oil dry or vermiculite. Sweep up absorbant and dispose according to regulatory requirements. Ventilate area to avoid breathing vapors or dust.

#### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Keep spills and cleaning runoffs out of municipal sewers and open bodies of water if safe to do so.

**LAND SPILL:** Prevent further leakage or spillage if safe to do so.

### 7. HANDLING AND STORAGE

**HANDLING:** Use care in handling. Avoid contact with eyes, skin, and clothing. Avoid release to the environment. Follow label

## Luxcare XT Protection Fabric Sealant

directions.

**STORAGE:** Do not store near strong oxidants or open flames. Store in original container protected from direct sunlight in a dry, cool, well-ventilated area and away from food and drink. Keep container closed when not in use.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**ENGINEERING CONTROLS:** Local exhaust ventilation may be necessary to control any air contaminants to within their PELs or TLVs during the use of this product.

**PERSONAL PROTECTIVE EQUIPMENT**

**EYES AND FACE:** If contact is likely, safety glasses with side shields are recommended.

**SKIN:** If prolonged or repeated contact is likely, protective gloves are recommended.

**RESPIRATORY:** Not normally needed. If ventilation is not sufficient to effectively prevent buildup of vapor/mist, appropriate NIOSH/MSHA respiratory protection should be provided.

**WORK HYGIENIC PRACTICES:** Wash thoroughly after using with soap and water.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**ODOR:** Slight

**APPEARANCE:** White liquid

**pH:** 5 to 7

**FLASH POINT AND METHOD:** > 100°C (210°F)

**FLAMMABLE LIMITS:** Not Available to Not Available

**AUTOIGNITION TEMPERATURE:** Not Available

**VAPOR PRESSURE:** Not Available

**VAPOR DENSITY:** Not Available

**BOILING POINT:** 100°C (212°F)

**FREEZING POINT:** 0°C (32°F)

**THERMAL DECOMPOSITION:** Not Available

**SOLUBILITY IN WATER:** Dispersible

**EVAPORATION RATE:** Not Available

**SPECIFIC GRAVITY:** 1.006

**VISCOSITY:** Similar to water

**10. STABILITY AND REACTIVITY**

**HAZARDOUS POLYMERIZATION:** Hazardous polymerization will not occur.

**STABILITY:** Stable under normal storage and handling conditions.

**CONDITIONS TO AVOID:** Keep away from extreme heat, strong acids and oxidizing agents.

**11. TOXICOLOGICAL INFORMATION**

**EYE EFFECTS:** May cause irritation.

Luxcare XT Protection Fabric Sealant

**SKIN EFFECTS:** May cause irritation, defatting or dermatitis.

## 12. ECOLOGICAL INFORMATION

**ECOTOXICOLOGICAL INFORMATION:** Analysis for ecological effect has not been conducted on this product.

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Waste must be disposed of in accordance with federal, state and local waste disposal regulations.

**EMPTY CONTAINER:** Remove all residue when emptying.

## 14. TRANSPORT INFORMATION

**DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** Not regulated by the US Department of Transportation as a hazardous material.

## 15. REGULATORY INFORMATION

### UNITED STATES

#### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No

**313 REPORTABLE INGREDIENTS:** This product does not contain any chemicals subject to the reporting requirements of SARA Section 313.

#### 302/304 EMERGENCY PLANNING

**EMERGENCY PLAN:** This product does not contain any chemical components subject to the reporting requirements of SARA Title III, Section 302 or with a Section 304 EHS RQ.

#### CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

**CERCLA REGULATORY:** This product, as supplied, does not contain any components regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA)

#### TSCA (TOXIC SUBSTANCE CONTROL ACT)

**TSCA REGULATORY:** All intentional ingredients are listed in the TSCA Inventory or comply with TSCA Polymer Exemption criteria in accordance with 40 CFR 723.

#### REGULATIONS

**STATE REGULATIONS:** This product does not contain any chemicals on Hazardous Substance Lists or Right-To-Know Lists.

**CALIFORNIA PROPOSITION 65:** This product does not contain any substances which are known to the state of California to cause cancer, birth defects, or other reproductive effects.

### CANADA


**CANADIAN ENVIRONMENTAL PROTECTION ACT:** All components are listed or otherwise in compliance with notification requirements.

## 16. OTHER INFORMATION

**PREPARED BY:** Cal-Tex Compliance Office **Date Prepared:** 09/22/2015

**HMIS RATING**

<b>HEALTH</b>		<b>1</b>
<b>FLAMMABILITY</b>		<b>0</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>
<b>PERSONAL PROTECTION</b>		<b>A</b>

**NFPA CODES**

**MANUFACTURER DISCLAIMER:** We believe the statements, technical information and recommendations contained herein are reliable. However, the data is provided without warranty, expressed or implied. It is the users responsibility both to determine safe conditions for use of this product and assume loss, damage or expense, direct or consequential, arising from its use. Before using this product, read label. The information contained in this publication is intended for general information purposes only. This publication is not a substitute for review of the applicable government regulations and standards, and should not be construed as legal advice or opinion. Readers with specific questions should refer to the cited references.