


Material Safety Data Sheet Luxcare Leather/Vinyl Protector & Renewer



Section 1 - Material Identification and Use

Manufacturer's Name..... Cal-Tex Protective Coatings, Incorporated 7455 Natural Bridge Caverns Road Schertz TX 78154 Manufacturer's Address..... Luxcare Leather/Vinyl Protector & Renewer Leather and vinyl conditioner and sealant

Section 2 - Hazardous Ingredients of Material


No.	Chemical Identity	Concentration	CAS	PEL	TLV	STEL	IDLH
1	Hydrocarbon Mixture	Trade Secret	Mixture				
2	1, 2-Propylene Glycol	Trade Secret	57-55-6				

NA = Not Applicable ND = No Data Available < = Less Than > = More Than Ceiling Value ** Chemical Believed to be a Potential Carcinogen (NIOSH) **Section 3 - Hazardous Identification** WHMIS Warning: FYF This chemical may affect the eye or visual capacity SKIN **~** This chemical may affect the dermal layer of the body LUNGS This chemical may irritate or damage pulmonary tissue **~ NERVOUS SYSTEM** This chemical may produce a toxic affect on the nervous system REPRODUCTIVE May affect reproductive capabilities including mutations and effects on the fetus. **BLOOD** This chemical may act on the blood or hematopoietic system; decrease hemoglobin function; deprive tissue of oxygen **I IVFR** This chemical may produce liver damage - Hepatotoxins **KIDNEYS** This chemical may produce kidney damage - Neprotoins


Section 4 - First Aid Measures

INGESTION DO NOT induce vomiting. Rinse mouth with water and give plenty of milk. Never give liquids to an unconcious victim - Seek Immediate Medical Attentio **EYE CONTACT** Flush immediately with plenty of water for at least 15 minutes - Seek Medical Attention SKIN CONTACT **V** Wash thoroughly with soap and water - Seek Medical Attention if irritation persists INHALATION Remove to fresh air. If breathing is difficult give oxygen - If not breathing give artificial respiration -Get Medical Attention SPECIAL None Identified


1




Material Safety Data Sheet Luxcare Leather/Vinyl Protector & Renewer



		Section 5	- Fire-Fi	ghting Measu	ires
Flashpoint F Flashpoint C Special Fire Fig	N/A N/A hting Procedure	Upper Explosion Limit Lower Explosion Limit Auto-Ignition Temp. Use self contained breathing a	Not Determined Not Determined Not Determined apparatus when fightin	Extinguishing Media DO NOT USE WATE	Carbon dioxide, dry chemical, water fog, water spray, foam.
		Section 6 - A	Accidenta	al Release Me	asures
Spill and Leak Requirements	Small leaks-mobody of water.	op up, wipe up, or soak up immedi	iately. Large spills-con	ntain material and ventilate area. I	Do not dump into sewers, on the ground, or into any
		Section 7 - H	Iandling	and Special S	storage
Handling and Special Storage		ners closed when not in use. Store ralization of spills.	e in a cool place with a	dequate ventalation. Storage loc	cation should be constructed for containment and
Additional Storage Requirements					
	Section	on 8 - Exposui	re Contro	ols and Person	nal Protection
Eye Protection	Wear approve	d eye protection to safeguard agai	nst potential eye conta	ct, irritation or injury. Use chemic	cal goggles if material is to be sprayed.
Skin Protection	Wear appropri	ate equipment to alleviate prolong	ed skin contact, which	may consist of: chemical resistar	nt gloves, and aprons.
Comments	Maintain ventil	ation to keep vapor concentration	below the PEL/TLV.		
	,	Section 9 - Phy	ysical and	d Chemical P	roperties
Physical State Odor and Appearan Specific Gravity Vapour Pressure Vapour Densisty	0.9989 Not De	e White - Sweet Smell termined termined		Evaporation Rate Boiling Point Freezing Point pH Density (g/ml)	Like Water 220 F Not Determined Not Determined Not Determined
		Section 10) - Stabili	ity and React	ivity
Stability	Materia	l is Stable Mat	erial is NOT Stable		
Incompatibility	Strong Oxidizi	ng Material			
Hazardous Decomp	position Products	Thermal decomposition ma	y yield carbon monoxid	de and/or carbon dioxide	
Hazardous Polymer	ization	May Occur	Will NOT Occur		



Material Safety Data Sheet Luxcare Leather/Vinyl Protector & Renewer



Section 11 - Toxicological Information

Acute Over Exposure Effects

Chronic Over Exposure Effects

Not Determined

Not Determined

May include cloudy appearance of the cornea, chemical burns, pain, tearing, ulcers, impaired vision or loss of vision.

Skin Contact

May cause redness, swelling, itching, pain, blistering, ulceration, sloughing, and scar formation. Chemicals may be absorbed through the skin.

May cause irritation of the upper respiratory area which may include soreness of the nose and throat, coughing and sneezing. Signs of overexposure may include difficulty breathing, wheezing, tightness in chest, congestion, and coughing up of blood.

May cause damage to gastrointestinal tissue which may include pain, vomiting, nausea, abdominal tenderness, burns of mouth, difficulty swallowing, blood in vomitus, blood in feces, and ulceration.

Section 12 - Ecological Information

Section 13 - Disposal Considerations

Dispose in accordance with local, state, and federal regulations.

Section 14 - Transportation Information

Ship as per DOT requirements in 49 CFR. Ship in accordance with local, state, and federal regulations.

Section 15 - Regulatory Information

No.	Chemical Identity	1	2	3	4	5	6	7	8	9	10	11	12 1	3 14	15	16	17	18	19	20	21	22
1	Hydrocarbon Mixture																					
2	1, 2-Propylene Glycol																					Х

(1) EHS-RQ (2) CERCLA (3) RQ (4) CAA 122r (5) TPQ (6) FIFRA (7) RCRA Code (8) Cal-CARC (9) Priority Polutant (10) Cal-Well Monitoring (11) SARA 313 (12) SARA 302 (13) MCL (14) Cal-HOT SPOT (15) Cal-Drinking Water (16) Cal-Toxic Air (17) NESHAP (18) Cal-Prop 65 (19) DOT Inhalation (20) Director's List (21) EPA Air (22) Cal-Reg Pest.

An "X" in Column 11 indicates that this product contains a toxic chemical subject to the reporting requirements of Section 313 of EPCRA (40 CFR 372)

MSDS No.	33	Date Reviewed	4/15/2000	Prepared By	Ronnie L. Meadows
Trade Name	Luxcare Leather/Vinyl Protector & Renewer	Supersedes	1/1/1996	Phone Number	(210) 564-3200

TLV - Threshold Limit Value. An estimate of the average safe airborne concentration of a substance in representative conditions under which it is believed that nearly all workers may be repeatedly exposed day after day without adverse effect. TLVs are published annually by the ACGIH (American Conference of Governmental Industrial Hygienists). PEL - Permissible Exposure Limit. The OSHA limit of employee exposure to chemicals; found primarily in 29 CFR 1910.1000.

STEL - Short Term Exposure Limit. The maximum concentration for a continuous 15-minute exposure period.

IDLH - Immediately Dangerous to Life and Health. The concentration of a airborne chemical which may cause irreversible health effects or death.

Ceiling - The maximum allowable concentration to which an employee may be exposed.

We believe the statements, technical information and recommendations contained herein are reliable. However, the data is provided without warranty, expressed or implied. It is the users responsibility both to determine safe conditions for use of this product and assume loss, damage or expense, direct or consequential, arising from its use. Before using this product, read label. The information contained in this publication is intended for general information purposes only. This publication is not a substitute for review of the applicable government regulations and standards, and should not be construed as legal advice or opinion. Readers with specific questions should refer to the cited references.

MSDS Number: 33 Date MSDS Printed: 3/13/2008