

SAFETY DATA SHEET



Date issued : 06/22/2021
SDS number : RA 360 L/VS
Date revised : 11/03/2022
Revision number : 2

ResistAll 360 Leather/Vinyl Sealant

1. Identification

Product identifier: ResistAll 360 Leather/Vinyl Sealant
Chemical family: Mixture
Relevant identified uses: Protection of automotive leather and vinyl.

Manufacturer / Supplier

Cal-Tex Protective Coatings, Inc.
7455 Natural Bridge Caverns Rd.
Schertz, TX 78154-3210
Customer Service: 210-564-3200

Emergency telephone number (24 hour)

INFOTRAC (US Transportation): 800-535-5053
Poison Control Center (Medical): 877-800-5553

2. Hazard identification

Classification of the substance or mixture

Not classified.

Label elements

The mixture does not meet the criteria for classification under the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Precautionary statement(s)

Prevention:

9470YS4V: Observe good industrial hygiene practices.

Response:

6458G8LP: Wash hands thoroughly after handling.

Storage:

P404: Store in a closed container.

Disposal:

3912LZZT: Dispose of contents/container in accordance with local, state and federal regulations.

Emergency overview

Physical appearance: Off white, creamy liquid

Immediate concerns: May cause eye and skin irritation.

Medical conditions aggravated: Dermatitis may be aggravated by excessive exposure to skin.

Routes of entry: Include skin contact, eye contact, inhalation and ingestion.

Target organ statement: None known.

Sensitization: None Expected.

3. Composition/information on ingredients

The product contains no ingredients classified as hazardous according to the OSHA Hazard Communication Standard (29 CFR

4. First-aid measures

Eye: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.

Skin: Flush affected area with water. If irritation persists, get medical attention. Wash contaminated clothing before reuse.

Ingestion: If swallowed, do not induce vomiting, give several glasses of water. Get medical attention/advice if you feel unwell.

Inhalation: If inhaled, remove the affected person immediately to fresh air. If symptoms persist, get medical attention.

Most important symptoms and effects, both acute and delayed

Eye: May include redness, swelling, pain, tearing, and blurred or hazy vision.

Skin: May include localized redness, swelling, and itching.

Ingestion: May include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Inhalation: May include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

5. Fire-fighting measures

Flammable class: None

Suitable extinguishing media: Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

Hazardous combustion products: Carbon monoxide, carbon dioxide, silicone dioxide and traces of other toxic substances cannot be excluded.

Fire fighting procedures: Avoid flow of material into drains. Use a water spray to cool fire-exposed containers. Do not enter any enclosed or confined space without proper PPE.

Fire fighting equipment: Firefighters should use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire explosion: Contact with strong oxidizers may cause fire or explosion.

Hazardous decomposition products: None Expected.

6. Accidental release measures

Small spill: Soak up with sawdust, sand, oil dry, paper towel or other absorbent material

Large spill: Confine spill by diking or impoundment. Clean up spill by absorbing with an inert material such as sand, soil, sawdust, oil dry or vermiculite. Sweep up absorbant and dispose according to regulatory requirements. Ventilate area to avoid breathing vapors or dust.

Environmental precautions

Water spill: Keep spills and cleaning runoffs out of municipal sewers and open bodies of water if safe to do so.

Land spill: Prevent further leakage or spillage if safe to do so.

General procedures: In case of spills, beware of slippery floors and surfaces.

Special protective equipment: Wear appropriate personal protective equipment.

7. Handling and storage

General procedures: Keep out of reach of children. Keep container closed when not in use to prevent drying out.

Precautions for safe handling: Use care in handling. Avoid contact with eyes, skin, and clothing. Avoid release to the environment. Follow label directions.

ResistAll 360 Leather/Vinyl Sealant

Conditions for safe storage: Store in cool and well ventilated place.

Storage temperature: Keep from Freezing.

8. Exposure controls/personal protection

Individual protection measures, such as personal protective equipment

Eye / face protection: Not normally needed. If contact is likely, safety glasses with side shields are recommended.

Skin protection - hand protection: If prolonged or repeated contact is likely, protective gloves are recommended.

Respiratory protection: Respiratory protection is not needed under normal and intended conditions of product use. Use with adequate ventilation.

Occupational hygiene practices: Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical state: Liquid

Color: Off white

Odor: Slight

pH: 5 to 7

Freezing point: 0°C (32°F)

Initial boiling point and boiling range: 100°C (212°F)

Flash point: > 100°C (212°F) Closed Cup

Evaporation rate (n-butyl acetate = 1): Not Available

Lower explosion limit / flammability limit: Not Available

Upper explosion limit / flammability limit: Not Available

Vapor pressure: Not Available

Relative vapor density: Not Available

Relative density: 1.05

Solubility: Dispersible

Auto-ignition temperature: Not Available

Decomposition temperature: Not Available

Viscosity: Not Available

10. Stability and reactivity

Reactivity: Yes

Dangerous polymerization: Hazardous polymerization will not occur.

Chemical stability: Stable under normal storage and handling conditions.

Conditions to avoid: Keep away from extreme heat, strong acids and oxidizing agents.

Hazardous decomposition products: Carbon dioxide, carbon monoxide may be produced during combustion.

Incompatible materials: Oxidizing materials.

11. Toxicological information

ResistAll 360 Leather/Vinyl Sealant

Carcinogenicity

IARC: Not listed

NTP: Not listed

OSHA: Not listed

Notes: Not a known carcinogen.

Specific Target Organ Toxicity - repeated exposure: None known.

12. Ecological information

Ecotoxicological information: Analysis for ecological effect has not been conducted on this product.

Bioaccumulative potential: Product is not expected to bioaccumulate.

13. Disposal considerations

Disposal methods: Follow applicable federal, state and local waste disposal regulations.

14. Transport information

USA Department of Transport Regulations (DOT)

UN proper shipping name: Not regulated by the US Department of Transportation as a hazardous material.

ICAO / IATA - air

UN proper shipping name: Not regulated as dangerous goods.

IMO / IMDG - International

UN proper shipping name: Not regulated as dangerous goods.

15. Regulatory information

UNITED STATES

SARA Section 311/312 Hazard Categories

313 reportable ingredients: This product does not contain any chemicals subject to the reporting requirements of SARA Section 313.

EPCRA Section 302 Extremely Hazardous Substances

EPCRA Status: This product does not contain any chemical components subject to the reporting requirements of SARA Title III, Section 302 or with a Section 304 EHS RQ.

CERCLA Hazardous Substances and Reportable Quantities (RQ)

CERCLA regulatory: This product, as supplied, does not contain any components regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA)

TSCA (The Toxic Substances Control Act)

TSCA regulatory: All components of this product are listed or exempt from listing on TSCA Inventory.

California Proposition 65: This product does not contain any substances which are known to the state of California to cause cancer, birth defects, or other reproductive effects.

CANADA

CEPA - National Pollutant Release Inventory (NPRI): All components are listed or otherwise in compliance with notification requirements.


16. Other information

Prepared by: Cal-Tex Compliance Office **Date revised:** 11/03/2022

Revision summary: This SDS replaces the 11/03/2022 SDS. Revised: **Section 2:** Classification of the substance or mixture, Label elements, Precautionary statement(s). **Section 15:** TSCA Status.

HMIS rating

| | | |
|----------------------------|--|----------|
| Health | | 1 |
| Flammability | | 0 |
| Physical hazard | | 0 |
| Personal protection | | B |

NFPA codes**Data sources:**

- Threshold Limit Values and Biological Exposure Indices. American Conference of Governmental Industrial Hygienists.
- TSCA & SARA Title III, US Environmental Protection Agency and the National Technical Information Services
- Raw Material Manufacturers Material Safety Data Sheets

Manufacturer disclaimer: We believe the statements, technical information and recommendations contained herein are reliable. However, the data is provided without warranty, expressed or implied. It is the users responsibility both to determine safe conditions for use of this product and assume loss, damage or expense, direct or consequential, arising from its use. Before using this product, read label. The information contained in this publication is intended for general information purposes only. This publication is not a substitute for review of the applicable government regulations and standards, and should not be construed as legal advice or opinion. Readers with specific questions should refer to the cited references.